INDEX TO VOLUME 1

Ant, fire, in relation to bob-white, 18

Bennitt, Rudolf. Statement of policy, 1
Bob-white
  fire ant in relation to, 18
  nesting losses, southeastern U. S., 3
  restoration of population by breeding activities, Wisconsin, 17
  winter feeding, Wisconsin, amount of food consumed, preferences, 65
  winter mortality, Wisconsin, 62
Brush-cutters, description, illustration, notes on cost, operation, and function in wildlife management, 42

Cahalane, Victor H. Statement of policy, 1
Charter membership, 45
Chase, Warren W. Statement of policy, 1
Clinostomum, in herons, 26
Cottontail, winter feeding, Wisconsin, amount of food consumed, preferences, 66
Cottontail population, history on hunted and unhunted areas, New York, 40
Cover
  for waterfowl nesting, Utah, comparative abundance and value, 79
  utilization of, by
    goose, Canada, Utah, 79
    grouse, sharp-tailed, Utah, 89
Cover management
  in Southeast by brush-cutters, 42
  for ring-necked pheasant, 19
Cover design (Journal), 45
Cover mapping, methods, symbols, illustrations, 100
Crow, in relation to ring-necked pheasant, 13, 14
Cyclic game species, refuges in relation to, 37

Dalke, Paul D. The cover map in wildlife management, 100–105
Diphyllobothrium latum in wild animals, 24
Dixon, Joseph S. Statement of policy, 1

Edminster, F. C. An analysis of the value of refuges for cyclic game species, 37–41
Employment service, 46, 107

Errington, Carolyn Storm. See Errington, Paul L., and —, 49–61.
Errington, Paul L. and Carolyn Storm Errington. Experimental tagging of young muskrats for purposes of study, 49–61
Errington, Paul L. and F. N. Hamerstrom, Jr. The evaluation of nesting losses and juvenile mortality of the ring-necked pheasant, 3–20

Fascioloides magna in deer, 24
Fauna, notes on
  Mississippi, 30
  Utah, 97
Food habits
  grouse, sharp-tailed, Utah, 95
  skunk spotted, Iowa, 70
  skunk striped, Iowa, 70
Food supply
  for game birds, natural, in winter, Wisconsin, 67
  for waterfowl, Utah, 77
Fox, red, in relation to ring-necked pheasant, 8
Fur, naturally sustained yield in Mississippi, 28
Fur animals, management suggestions for Mississippi, 33

Gapeworm in starlings, 24
Goose, Canada, Utah, nesting behavior, ecology of nesting, egg losses, fecundity, 77
Grouse
  ruffed, population history on hunted and unhunted areas, New York, 39
  sharp-tailed, Utah, ecology, habits, predators, 87

Hamerstrom, F. N., Jr. See Errington, Paul L., and —, 3–20
Hawk
  marsh, in relation to ring-necked pheasant, 15
  red-tailed, in relation to ring-necked pheasant, 15
Hawkins, Arthur S. Winter feeding at Faville Grove, 1935–37, 62–69

Income from fur on a Mississippi farm 32

INDEX TO VOLUME 1

Ant, fire, in relation to bob-white, 18

Bennitt, Rudolf. Statement of policy, 1
Bob-white
  fire ant in relation to, 18
  nesting losses, southeastern U. S., 3
  restoration of population by breeding activities, Wisconsin, 17
  winter feeding, Wisconsin, amount of food consumed, preferences, 65
  winter mortality, Wisconsin, 62
Brush-cutters, description, illustration, notes on cost, operation, and function in wildlife management, 42

Cahalane, Victor H. Statement of policy, 1
Charter membership, 45
Chase, Warren W. Statement of policy, 1
Clinostomum, in herons, 26
Cottontail, winter feeding, Wisconsin, amount of food consumed, preferences, 66
Cottontail population, history on hunted and unhunted areas, New York, 40
Cover
  for waterfowl nesting, Utah, comparative abundance and value, 79
  utilization of, by
    goose, Canada, Utah, 79
    grouse, sharp-tailed, Utah, 89
Cover management
  in Southeast by brush-cutters, 42
  for ring-necked pheasant, 19
Cover design (Journal), 45
Cover mapping, methods, symbols, illustrations, 100
Crow, in relation to ring-necked pheasant, 13, 14
Cyclic game species, refuges in relation to, 37

Dalke, Paul D. The cover map in wildlife management, 100–105
Diphyllobothrium latum in wild animals, 24
Dixon, Joseph S. Statement of policy, 1

Edminster, F. C. An analysis of the value of refuges for cyclic game species, 37–41
Employment service, 46, 107

Errington, Carolyn Storm. See Errington, Paul L., and —, 49–61.
Errington, Paul L. and Carolyn Storm Errington. Experimental tagging of young muskrats for purposes of study, 49–61
Errington, Paul L. and F. N. Hamerstrom, Jr. The evaluation of nesting losses and juvenile mortality of the ring-necked pheasant, 3–20

Fascioloides magna in deer, 24
Fauna, notes on
  Mississippi, 30
  Utah, 97
Food habits
  grouse, sharp-tailed, Utah, 95
  skunk spotted, Iowa, 70
  skunk striped, Iowa, 70
Food supply
  for game birds, natural, in winter, Wisconsin, 67
  for waterfowl, Utah, 77
Fox, red, in relation to ring-necked pheasant, 8
Fur, naturally sustained yield in Mississippi, 28
Fur animals, management suggestions for Mississippi, 33

Gapeworm in starlings, 24
Goose, Canada, Utah, nesting behavior, ecology of nesting, egg losses, fecundity, 77
Grouse
  ruffed, population history on hunted and unhunted areas, New York, 39
  sharp-tailed, Utah, ecology, habits, predators, 87

Hamerstrom, F. N., Jr. See Errington, Paul L., and —, 3–20
Hawk
  marsh, in relation to ring-necked pheasant, 15
  red-tailed, in relation to ring-necked pheasant, 15
Hawkins, Arthur S. Winter feeding at Faville Grove, 1935–37, 62–69

Income from fur on a Mississippi farm 32

Jensen, Max S. See Marshall, William H., and —, 87–99

Life histories
goose, Canada, Utah, 77
grouse, sharp-tailed, Utah, 87
muskrat, Iowa, 49

Marking mammals to facilitate study, 49
Marshall, William H. See Williams, Cecil S., and —, 77–86
Marshall, William H., and Max S. Jensen. Winter and spring studies of the sharp-tailed grouse in Utah, 87–99
McAtee, W. L. Statement of policy, 1
Muskrat, life-history data obtained by a tagging study, Iowa, 51

Owl, great-horned, in relation to ring-necked pheasant, 8

Paragonimus kellicotti in mink, 24
Parasites
worm, control of, 23
worm, in relation to wildlife, 21
Partridge, Hungarian, winter feeding, Wisconsin, amount of food consumed, preferences, 65
Pheasant, ring-necked
natural enemies, 8, 13, 14, 15
nesting losses, Iowa, 3
seasonal fecundity, 12
winter feeding, Wisconsin, amount of food consumed, preferences, 65
Policy, statement of, 1
Population, fur animals on a Mississippi farm, 31
Population on hunted and unhunted areas, New York
cottontail, 40
grouse, ruffed, 39
squirrel, gray, 40
Prairie chicken, winter feeding, Wisconsin, amount of food consumed, preferences, 65

Refuges, value for cyclic and other species, 37

Selko, Lyle F. Food habits of Iowa skunks in the fall of 1936, 70–76
Skunk
spotted, food habits, Iowa, 70
striped, food habits, Iowa, 70
Squirrel
gray, population history on hunted and unhunted areas, New York, 40
ground, in relation to ring-necked pheasant, 13, 14
Stoddard, Herbert L. Use of mechanical brush-cutters in wildlife management, 42–44

Tagging young muskrats, method described and illustrated, 49
Trapping, fur, costs on a Mississippi farm, 33
Trichinella spiralis, in wild animals, 24

Van Cleave, Harley J. Worm parasites in their relation to wildlife investigations, 21–27

Williams, Cecil S. and William H. Marshall. Goose nesting studies on Bear River Migratory Waterfowl Refuge, 77–86
Winter feeding, Wisconsin, methods, comparative palatability of foods, quantities consumed, 62

Yeager, Lee E. Naturally sustained yield in a farm fur crop in Mississippi, 28–36